

LOT

MX 446 L

Rev 3

CONTROL

L

 (Exp.)

2024-06-05
(YYYY-MM-DD)

PARAMETRES PARAMETERS	UNITES UNITS	LyseVet								TOLERANCES TOLERANCE
		MICROS	MICROS							
			Soil Vet ABC Plus ESV 60							
GB WBC	10 ⁹ /mm ³ ; 10 ⁹ /l		1.8							± 0.4
GR RBC	10 ⁶ /mm ³ ; 10 ¹² /l		2.25							± 0.15
HB HGB	g/dl		5.9							± 0.4
	g/l		59							± 4
	mmol/l		3.66							± 0.25
HT HCT	%		16.2							± 2.0
	l/l		0.162							± 0.020
VGM MCV	µm ³ ; fl		72							± 4
TGMH MCH	pg		26.2							± 2.0
	fmol		1.63							± 0.12
CCMH MCHC	g/dl		36.4							± 3.0
	g/l		364							± 30
	mmol/l		22.62							± 1.86
IDR RDW	%		15.0							± 3.0
PLAQ. PLTS	10 ³ /mm ³ ; 10 ⁹ /l		75							± 20
VPM MPV	µm ³ ; fl		8.4							± 2.0
LYMPHO	#		1.01							± 0.40
	%		56.0							± 8.0
MONO	#		0.22							± 0.20
	%		12.0							± 6.0
GRANULO	#		0.58							± 0.40
	%		32.0							± 7.0

LOT

MX 446 N
Rev 3

CONTROL

N

(Exp.)

2024-06-05
(YYYY - MM - DD)

PARAMETRES PARAMETERS	UNITES UNITS	LyseVet								TOLERANCES TOLERANCE
		MICROS	MICROS							
			Soil Vet ABC Plus ESV 60							
GB WBC	10 ⁹ /mm ³ ; 10 ⁹ /l		7.3							± 0.8
GR RBC	10 ⁶ /mm ³ ; 10 ¹² /l		4.54							± 0.18
HB HGB	g/dl		13.5							± 0.5
	g/l		135							± 5
	mmol/l		8.38							± 0.31
HT HCT	%		37.2							± 2.5
	l/l		0.372							± 0.025
VGM MCV	µm ³ ; fl		82							± 4
TGMH MCH	pg		29.7							± 2.0
	fmol		1.85							± 0.12
CCMH MCHC	g/dl		36.3							± 3.0
	g/l		363							± 30
	mmol/l		22.52							± 1.86
IDR RDW	%		14.0							± 3.0
PLAQ. PLTS	10 ³ /mm ³ ; 10 ⁹ /l		270							± 40
VPM MPV	µm ³ ; fl		7.8							± 2.0
LYMPHO	#		1.93							± 0.40
	%		26.5							± 5.0
MONO	#		1.30							± 1.17
	%		17.6							± 15.8
GRANULO	#		4.07							± 0.73
	%		55.9							± 10.0

Ref: TEMP-0830 Rev.42 BACK / VERSO 1300104143

LOT

MX 446 H
Rev 3

CONTROL

H

 (Exp.)

2024-06-05
(YYYY-MM-DD)

PARAMETRES PARAMETERS	UNITES UNITS	LyseVet								TOLERANCES TOLERANCE
		MICROS	MICROS							
			Soil Vet ABC Plus ESV 60							
GB WBC	10 ⁹ /mm ³ ; 10 ⁹ /l		19.7							± 1.6
GR RBC	10 ⁶ /mm ³ ; 10 ¹² /l		5.65							± 0.20
HB HGB	g/dl		18.0							± 0.6
	g/l		180							± 6
	mmol/l		11.18							± 0.37
HT HCT	%		50.3							± 3.0
	l/l		0.503							± 0.030
VGM MCV	µm ³ ; fl		89							± 4
TGMH MCH	pg		31.9							± 2.0
	fmol		1.98							± 0.12
CCMH MCHC	g/dl		35.8							± 3.0
	g/l		358							± 30
	mmol/l		22.23							± 1.86
IDR RDW	%		13.5							± 3.0
PLAQ. PLTS	10 ³ /mm ³ ; 10 ⁹ /l		540							± 45
VPM MPV	µm ³ ; fl		7.7							± 2.0
LYMPHO	#		2.17							± 1.00
	%		11.0							± 5.0
MONO	#		1.08							± 0.80
	%		5.5							± 4.0
GRANULO	#		16.45							± 1.40
	%		83.5							± 7.0